



FLEXIBLE HANGING SOLUTIONS

Artiteq®

PRODUCT CATALOGUE
2026

ARTITEQ.COM

ABOUT ARTITEQ

Artiteq's smart, sustainable hanging and display systems transform every wall into a limitless canvas. For almost 30 years, our family business has inspired art connoisseurs, interior décor enthusiasts and companies around the world to give every space its own ambience and energy.

Our solutions are both functional and stylish, whether you wish to create a cosy homely atmosphere, have artistic freedom, create an interior to guarantee maximum impact, or ensure effective routing.

In 1995 we took the first small step of our adventure, at home in the garage of founder Jan van Boxtel. Today we are active in more than 80 countries and sectors. You will find us in DIY stores, in the education and property remodelling sectors and in art galleries. Our product range now also includes window displays, display systems and signing hanging systems, always underpinned by quality, flexibility and creativity.

Our family culture ensures that everyone feels welcome and can rely on one another. This enables us to perform at the highest possible level, with continuous improvement. We work closely with distributors and dealers throughout the world, we support them with marketing, training and reliable deliveries and we focus on innovation and sustainability.

Sustainability and social return are our core values. Because we want to give something back. This is why we assemble locally along with the Diamant group, that offers sheltered employment to people who are disadvantaged in the labour market.

Sustainability is a top priority when our products are being developed, with smart logistics and the use of recycled ocean plastic. We haven't yet achieved our ultimate goals, but continually take steps towards these.




meet our
company



10 YEAR WARRANTY & TÜV CERTIFIED

We use TÜV quality assurance on our hanging systems, hanging wires and hooks. A TÜV seal of approval is confirmation that a product meets quality requirements, is safe and/or environmentally responsible. On all our products we provide a standard warranty of 10 years. With the exception of electrical components, for which a 2-year warranty applies.



SOCIAL AND SOCIETAL CONTRIBUTION

For more than 20 years, we have been working closely with the Diamond Group. In this way, we contribute to making people with a distance to the working world feel part of society. A large part of our production is at the Diamond Group.



WE LIKE TO TELL YOU HOW SUSTAINABLE ARTITEQ IS!

- Our picture hanging systems are made of aluminium, which for a large part consists of recycled aluminium. In end-use aluminium is especially durable. Aluminium lasts for decades and is low-maintenance.
- At our factory, we try to reuse (residual) materials and parts of products for new products. Waste created during production is separated and recycled.
- We ship our products in cardboard boxes made from recycled materials and padded with recycled cardboard.
- In recent years, we have reduced plastic packaging. The products packaged in plastic are all rPET - recycled plastic. rPET is considered one of the most environmentally friendly packaging materials. It is made from previously used PET plastic.



OVERVIEW RAIL SYSTEMS









For every wall or interior there is a suitable hanging system to be found within Artiteq's range. When choosing a picture hanging system, there are several factors to consider. First, you need to determine where the system should and may be mounted, namely on the wall or on the ceiling. In addition, the stage of construction or interior plans and your personal taste and any specific requirements also play a role in the choice.

Each track system has maximum load capacity, design features, lengths and colour options. It is important to consider these aspects when making your choice. In this way, you can ensure that the hanging system perfectly suits your needs and aesthetic preferences.

Below you will find an overview that clearly shows these features. This way, you can easily select the right hanging system to suit your specific situation.

At Artiteq, we understand that every project is unique, which is why we offer a wide range of hanging solutions. Whether you are looking for a simple rail system for your artwork at home, or a more advanced system for professional use, we have the right solution for you.

WALL HANGING SYSTEMS MODERN








								
	Contour Rail Glued	Contour Rail	Newly R10 Rail	Newly R20 Rail	Click Rail	Click Rail Pro	Double Wall Track	Newly R70 Rail
WEIGHT CAPACITY (per meter)	10 kg p/m	20 kg p/m	20 kg p/m	30 kg p/m	30 kg p/m	50 kg p/m	80 kg p/m	100 kg p/m
SIZE RAIL								
INSTALLATION	wall, flush against ceiling	wall, 15 cm under ceiling	wall, flush against ceiling	wall, flush against ceiling	wall, flush against ceiling	wall, flush against ceiling	wall	wall, flush against ceiling
AVAILABLE COLOURS					White RAL 9010	White RAL 9010	White RAL 9010	
	White Primer RAL 9016	White Primer RAL 9016	White Primer RAL 9016	White Primer RAL 9016	White Primer RAL 9016		White Primer RAL 9016	White Primer RAL 9016
			Aluminium	Aluminium	Aluminium	Alu Brushed	Aluminium	Aluminium
			Black		Black		Black	
AVAILABLE LENGTH	200 cm 300 cm	200 cm 300 cm	200 cm 300 cm	200 cm 300 cm	150 cm 200 cm 300 cm 600 cm	200 cm 300 cm	200 cm	200 cm

WALL HANGING SYSTEMS TRADITIONAL









				
	Classic Rail	Classic Rail+	Newly R30 Rail	Heavy Duty Track Wall
WEIGHT CAPACITY (per meter)	20 kg p/m	40 kg p/m	40 kg p/m	200 kg p/m
SIZE RAIL				

OVERVIEW RAIL SYSTEMS

CEILING HANGING SYSTEMS

				
	Up Rail	Top Rail	Newly R40 Rail	Heavy Duty Track Ceiling
WEIGHT CAPACITY (per meter)	20 kg p/m	20 kg p/m	20 kg p/m	200 kg p/m
SIZE RAIL				
INSTALLATION	ceiling	ceiling	ceiling	ceiling
				
AVAILABLE COLOURS	 White RAL 9010	 White RAL 9003	 White Primer RAL 9016	 White RAL 9010
		 Alu Brushed		 Any Colour On Request
	 Black	 Black		
AVAILABLE LENGTH	200 cm 300 cm	200 cm 300 cm	200 cm	100 cm 200 cm

INTEGRATED HANGING SYSTEMS

				
	Deco Rail	Deco Rail LED	Shadowline Drywall	Shadowline Masonry
WEIGHT CAPACITY (per meter)	20 kg p/m	20 kg p/m	20 kg p/m	20 kg p/m
SIZE RAIL				
INSTALLATION	wall*	wall*	integrated drywall	integrated
				
AVAILABLE COLOURS				

PICTURE HANGING SYSTEMS

WALL HANGING SYSTEMS

Wall modern

Contour Rail Glued	10 kg
Contour Rail	20 kg
Newly R10 Rail	20 kg
Newly R20 Rail	30 kg
Click Rail	30 kg
Click Rail Pro	50 kg
Double Wall	80 kg
Newly R70 Rail	100 kg
Heavy Duty Track Wall	200 kg
Track & Wire	

Wall modern + LED

Newly R35 Rail LED	30 kg
Illume Duo Rail	60 kg



Wall traditional

Classic Rail	20 kg
Classic Rail plus	40 kg
Newly R30 Rail	40 kg

- flush against ceiling
- preservation of walls
- user-friendly

wall hanging systems modern
NEWLY R10 RAIL ⓘ

20
kg p/m



10
YEAR
WARRANTY



3 clips / m

The Newly R10 Rail is a compact and stylish picture hanging rail that is easy to install thanks to its clever One-Click system. This allows the rail to be mounted quickly and securely to the wall, seamlessly connecting to the ceiling for a clean, minimalist finish. Available in white, silver, and black.

Thanks to its compact design, the rail is barely visible while still offering a professional and reliable hanging solution with a load capacity of 20 kg per meter.



compatible
wires and hooks:
pages 64–79



installation
video

A major advantage of the Newly rail systems is that the head of the Twister hanging cords is completely hidden inside the rail. Only the cord remains visible, creating a sleek, minimalist presentation, perfect for modern interiors, galleries, offices, or living spaces.


RAIL





Newly R10 Rail - White Primer RAL 9016		Newly R10 Rail - Alu An
---	--	-------------------------

wall hanging systems modern
CLICK RAIL PRO

 **50**
kg p/m



10
YEAR
WARRANTY



3 clips / m



compatible
wires and hooks:
pages 64–79

The Click Rail Pro hanging system is the professional, heavy-duty version of the Click Rail. The rail is quick and easy to instal thanks to the Click&Connect clips, and can be mounted on the wall, flush against the ceiling. It is possible to mount the rail in such a way that the sliders for the hanging wire may be subtly hidden behind the rail. The Click Rail Pro picture hanging system has a maximum load capacity of 50 kg/m.

Hanging heavy pictures and wall decorations is no problem with the Click Rail Pro. Click Rail Pro is a strong picture hanging system that you can trust when it comes to hanging your art on the wall. The hanging wires may be moved and clicked into the rail again at

wall hanging systems modern
DOUBLE WALL TRACK

 **80**
kg p/m



The Double Wall Track offers a smart and discrete way of hanging works of art, making it ideal for museums and exhibition spaces. This rail comprises two parts: a sturdy base rail that is attached to the wall and cover that is placed over it. Giving it a neat finish and providing a secure hanging solution without damaging the wall. The rail can be painted or select the Double Wall Track + cover special to custom rail in any RAL colour.

A special slider is used in combination with the Double Wall Track that easily hooks into the rail, can be placed at any position on the rail and can be secured. Slid the steel wire of 1.2 or 1.8 mm thick through the slider and combine with the Auto Grip Lock hook for hanging works of art of 15 to 40 kg (max. weight depends on which type of steel wire).

RAIL

			
Double Wall Track - White RAL9010	Double Wall Track - White Primer RAL9016	Double Wall Track - Silver Anodised	Double Wall Track - Black
TS000001	TS00001WH1	TS00001AN1	TS00001BL1

ARTICLE NO. 200 cm

Double Wall Track + cover special RAL colour 200 cm TS00001SR
The rail comes pre-drilled with mounting holes, starting 6 cm from one end and repeating every 23,5 cm along its 200 cm length.

			
End Cap Double Wall Track - White	End Cap Double Wall Track - Black	Fischer Plug Duopower 4,0 x 60	

wall hanging systems modern LED
ILLUME DUO RAIL

 **60**
kg p/m



A minimalist rail system that combines hanging and lighting in one elegant line, safe, flexible, and fully integrated into the architecture of the space. Illume Duo Rail pairs Artiteq aesthetics with advanced 48V lighting technology. The result is a system that is not only functional, but also radiates the calm, balance, and precision that define high-end interior architecture. With a maximum load capacity of 60 kg per meter, the rail also provides the strength and security to effortlessly support even the most demanding art presentations.



The full range is available in two popular colors: matte black and fresh matte white. The rail, the luminaires, and the connectors are all supplied in these colors. For the modern, trend-conscious user, a Bronze (dark brown) luminaire is also available, an additional option for a modern, stylish interior.

RAIL

wall hanging systems traditional
CLASSIC RAIL

 **20**
kg p/m



10
YEAR
WARRANTY



4 screws / m

Change pictures quickly and easily with Classic Rail

The Classic Rail is a wall rail that is often used in galleries and at exhibitions. This hanging system has an open J-shape which, with the aid of rods and sliding springs, makes it easy to hang pictures and other wall decorations. If you are looking for a discreet alternative to a rod, it is possible to use a cylinder hook with a transparent perlon cord in the rail. Depending on the weight of the picture or wall decoration, various hooks may be slid onto the perlon hanging wire.

A hanging rail for a contemporary interior

The Classic Rail is a J-shaped, open rail system with a modern look. This picture hanging system is available in white, aluminum and black. The rods that may be placed in the rail vary in thickness from 2 to 3 mm, and have a maximum load capacity of 20 kg. Available in white or steel, the rods use various sliding springs.

RAIL

							
Classic Rail - White RAL 9010		Classic Rail - White Primer RAL 9016		Classic Rail - Alu			

wall hanging systems traditional
CLASSIC RAIL+

 **40**
kg p/m



The Classic Rail+ is a picture hanging system for walls that has been specially developed for hanging heavier pictures and wall decorations (up to 40 kg). This hanging system is often used in galleries, at exhibitions and in museums. The hanging rail has an open, J-shaped design that makes it possible to hang a variety of rods equipped with rod hooks. This makes it extremely easy to hang or change art on the wall. The Classic Rail + is available in white, aluminum and black versions. A variety of aluminium or steel rods may be used for decorations weighing up to a maximum of 40 kg.

Secure picture hanging system

The Classic Rail+ makes it possible to hang pictures and wall decorations in a secure manner in rooms where this is required. Thanks to a blocking device, the rod is blocked in the rail and the picture enjoys extra protection when special anti-theft hooks are used on the rod itself.

RAIL




	Classic Rail+ - White RAL 9010	Classic Rail+ - Alu Anodised	Classic Rail+ - Black Anodised
	P/1*	P/1*	P/1*
ARTICLE NO. 200 cm	9.4318	9.4320	9.4315
ARTICLE NO. 300 cm	9.4319	9.4321	-
	Fastener Kit White	Fastener Kit Grey	Fastener Kit Black
ARTICLE NO. 200 cm	4072	4071	5097
ARTICLE NO. 300 cm	4079	4078	-

All mounting material may be ordered seperately. See overview on page 60.

wall hanging systems traditional
NEWLY R30 RAIL

 **40**
kg p/m



The Newly R30 Rail is a high-quality, professional wall rail specially designed for intensive use in galleries and museums.

A major advantage of the Newly R30 Rail is its versatility. Users can choose between: Elegant transparent hanging cords (perlon or steel), ideal for a refined appearance or a robust 4x4 mm aluminium rods, perfect for heavier works and added stability.

Thanks to this combination, the rail is suitable for both lightweight paintings and large, heavy artworks. The cords or rods can be attached anywhere along the rail, offering maximum flexibility when arranging or changing exhibitions.

The rail is made from high-grade aluminium, available in white, and has an impressive load capacity of 40 kg per meter.

RAIL



	Newly R30 Rail - White Primer RAL 9016
	P/t*
ARTICLE NO. 200 cm	1301.200
ARTICLE NO. 300 cm	1301.300

wall hanging systems traditional
HEAVY DUTY TRACK


 **200**
kg p/m



Crafted from durable steel, this rail can be mounted directly to the wall or discreetly built into it, offering maximum stability while allowing for a seamless look. The option to built in the rail makes it almost invisible, helping it blend perfectly with any interior design. The sliders, equipped with strong steel wire, can be effortlessly positioned anywhere along the rail and securely fastened, allowing for precise placement of each artwork.


What sets this system apart is its flexibility. The rail is available in white (RAL 9010) in a standard length of 200 cm. It can also be ordered in any desired colour and in custom lengths starting from 100 cm. This makes it easy to adapt the rail to the specific needs and style of any project.

RAIL




Heavy Duty Track Wall Rail - White RAL9010		Heavy Duty Track Wall Rail Special	
200 cm		100 cm / Custom lengths from 100 cm available in any RAL colour	
ARTICLE NO.	TS00004ST	TS00004SR	

The rail comes pre-drilled with mounting holes, starting 10 cm from one end and repeating every 36 cm along its 200 cm length, and is supplied without installation materials. Consult with installer for most suitable installation material. All mounting material may be ordered separately. See overview on page 60.



10
YEAR
WARRANTY



RAIL HANGING - TRACK & WIRE

for a secure hanging in combination with a picture hanging system

The Track & Wire was developed for suspending and securing paintings and objects on steel wires of 1.2 and 1.8 mm in combination with a picture hanging system. The Track & Wire is directly mounted on the back of the painting with the wire positioned in the right place within the rail.

Adjustability is achieved by means of an auto grip function within the Track & Wire, which holds the wire when tension is applied and allows movement when pressed. The screw on the side can be tightened for additional security. Providing a mechanical anti-theft solution. Two elements and wires are required per painting.

TRACK & WIRE



Track & Wire 1.2-1.8 mm / 15-40 kg

ARTICLE NO.

TS30218

*Used in combination with wires 1.2 and 1.8 mm. Two units are required per painting, frame or art object.

Installation instructions – Track & Wire

Step 1: Mount the Track & Wire onto the back of the painting or frame

Mount the Track & Wire directly on the back of the painting or frame. Position it higher to reduce tilting.

Step 2: Insert the wire into the Track & Wire


Thread the 1.2 or 1.8 mm wire through the Track & Wire. It will automatically lock into place once you release it.

Step 3: Positioning the painting

Position the painting at the preferred height by adjusting the steel wire in the Track & Wire.

Step 4 & 5: Lock

Tighten the screw beneath and turn the screw on the top for additional security and a secure hanging.



ceiling hanging systems
HEAVY DUTY TRACK

 **200**
kg p/m





This robust rail system is specifically designed for ceiling mounting, offering a discreet and refined solution for displaying art. Whether surface-mounted or recessed into the ceiling, it provides exceptional stability while maintaining a minimalist and streamlined appearance. When recessed, the rail virtually disappears, seamlessly complementing any interior design.

The sliders with sturdy steel wires, can be easily adjusted along the length of the rail. This ensures not only flexibility but also precision in positioning.


Delivered as standard in white (RAL 9010) and a length of 200 cm, the rail is also available in any custom length starting from 100 cm, and can be powder-coated in any RAL colour. This allows the ceiling rail to fit perfectly into both residential and commercial spaces, tailored to the unique aesthetic and functional demands of each project.

RAIL



Heavy Duty Track Ceiling Rail - White RAL9010		Heavy Duty Track Ceiling Rail Special	
200 cm		100 cm / Custom lengths from 100 cm available in any RAL colour	
ARTICLE NO.	TS00004ST	TS00004SR	

The rail comes pre-drilled with mounting holes, starting 10 cm from one end and repeating every 36 cm along its 200 cm length, and is supplied without installation materials. Consult with installer for most suitable installation material. All mounting material may be ordered separately. See overview on page 60.



The Slider can be effortlessly positioned anywhere along the rail and securely fastened, allowing for precise placement of each artwork.

The Slider is compatible with both Slider 1.8 mm stainless steel wires and Twister 2.5 mm steel wire. Insert the wire through the

FASTENER MATERIAL

picture hanging systems - wall / ceiling / integrated



all installation videos

+ advised
o possible

	Click&Connect 3 clips/m	Click&Connect 3 Rings 3 clips/m	Fastening Clip Round 3 clips/m	Click&Connect 3 clips/m	Click&Connect 3 clips/m	Click&Connect 3 clips/m	Click & Connect	Adjust Plate	Clip White	Clip White
	9.4113	9.4119	9.4106	9.4124	30.31110	05.06010	45.31600	6100.010	3010.101*	3010.400*
CONTOUR RAIL P. 12					+					
CLICK RAIL P. 18	+	+	+							
CLICK RAIL PRO P. 20				+						
UP RAIL P										

hanging wires and hooks


HANGING WIRES



1 mm vs 2 mm hanging wires

Artiteq offers the Twister hanging wires in two different thicknesses; 1 mm and 2 mm. Both perlon and steel wire hanging wires are available in the two different thicknesses. The steel wire black hanging wires are only available in 1 mm.

The choice of choosing 1 mm hanging wires depends on one's own requirements. The smaller the diameter of the hanging wire, the less visible it is. Especially with the perlon hanging wires, the choice for 1 mm can be preferable. To hang a frame or wall decoration as invisible as possible.








1 mm						
Twister 1 mm						
	30.21150	Twister	1 mm	Perlon	5 kg	150 cm

hanging wires and hooks
HOOKS & COMPATIBILITY

Depending on the weight of a frame or other wall decoration, the right picture hook must be selected. The wide product range offers hooks with maximum load capacities varying from 4 kg to 20 kg.

 Type Approval 2400-A-616 TUV							
	30.41200 20 kg	30.41250 20 kg	3020.100 20 kg	3020.200 Security 20 kg	9.4264 15 kg	9.4261 15 kg	30.41100 10/5 kg
	Auto Grip	Auto Grip	Auto Grip	Auto Grip	Auto Grip	Auto Grip	Auto Grip
	Lock		Lock		Lock		
 Twister 1 mm Perlon 150 / 200 / 300 cm							
 Twister 1 mm Steelwire 150 / 200 / 300 cm							
 Twister 1 mm Steelwire Black 150 / 200 / 300 cm							
 Twister							

hanging wires and hooks
HOOKS

ARTICLE NO.	  22 11 34 24 18 12 Ø3	  22 11 34 24 18 12 Ø3
	Auto Grip 20 kg 30.41200	Auto Grip 20 kg 30.41250 Lock
ARTICLE NO.	  20 12 30 30 10 19,5 Ø3,5	  20 12 30 26 15,5 Ø5
	Auto Grip 20 kg 3020.100	Auto Grip Security 20 kg 3020.200 Lock
ARTICLE NO.	  Ø12 35 4 6 11 20 3mm 15	

hanging wires and hooks
COMBINATIONS

A picture hanging system comprises the following elements: **rail**, **hanging wire** and **hanging hook**. Artiteq guarantees the functionality of the products because it carefully coordinates the various elements of a picture hanging system. The quality can only be guaranteed when original (Artiteq) products are combined correctly. The guarantee is null and void if there are combinations other than with the correct Artiteq products. A frame or canvas will always hang more steadily if **2 hanging wires** are used.

The weight of the frame determines the choice of the hook and wire, in combination with the maximum weight carrying capacity of one metre of the rail.

INCORRECT COMBINATIONS

maximum weight carrying capacity rail: **30 kg p/m**

maximum weight carrying capacity wire: **20 kg**

maximum weight carrying capacity hook: **4 kg**

weight frame: **5 kg**

maximum weight carrying capacity rail: **30 kg p/m**

maximum weight carrying capacity wire: **20 kg**

maximum weight carrying capacity hook: **20 kg**

weight frame: **40 kg**

CORRECT COMBINATIONS

maximum weight carrying capacity rail: **30 kg p/m**

maximum weight carrying capacity wire: **20 kg**

maximum weight carrying capacity hook: **4 kg**

weight frame: **5 kg**

maximum weight carrying capacity rail: **30 kg p/m**

maximum weight carrying capacity wire: **20 kg**

maximum weight carrying capacity hook: **20 kg**


weight frame: **40 kg**

hanging wires and hooks
HANGING SETS

TWISTER HANGING SETS 1 mm		TWISTER HANG
---------------------------	--	--------------

solo hanging systems
UNIQ HANGER

 **5/10**
kg



A different way to hang wall decorations

In some spaces, it either isn't possible or desirable to use a hanging rail. The Uniq Hanger offers a solution for these situations. Not only is it easy and safe to hang a picture frame on the wall and easily adjust the height, but it also creates a certain look. The combination of the stainless steel button with the steel wire might result in just the look you want to create in an interior. You also have the option of fully concealing the system behind your photo frame or painting.

Hanging a frame without a rail

The Uniq Hanger consists of a wall fitting with cover, Twister 1 mm steel wire and a Micro Grip 1 mm suspension hook. It's easy to insert the steel wire in the wall fitting, and then just slide the stainless steel cover over this. After you slide the Micro Grip 1 mm over the steel wire, you can adjust the height.

The Uniq Hanger may also be used with perlon hanging wires.

UNIQ HANGER

picture hanging systems - solo

PARTITION WALL HOOKS



HOOKS



	Partition Wall Hook		
SIZE	16 mm	21 mm	31 mm
COLOUR	White	White	White
MAX. CAPACITY	15 kg	15 kg	15 kg
ARTICLE NO.	9.4503	9.4504	9.4506

HANGING WIRES



9.4424	Slider Economy	2 mm	100 cm
9.4425	Slider Economy	2 mm	150 cm
9.4426	Slider Economy	2 mm	200 cm
9.4427	Slider Economy	2 mm	250 cm
9.4428	Slider Economy	2 mm	300 cm



Micro Grip 2 mm
30.41200 | 20 kg

picture hanging systems - solo

PARTITION WALL HOOKS

i.c.m. obimex / alcoa / sypla / systemflex / interselect partition walls



HOOKS			
		Wall Hook Systemflex / Interselect	Wall Hook Systemflex / Interselect
COLOUR		White	Black
MAX. CAPACITY		5 kg	5 kg
ARTICLE NO.		9.4520	9.4521



HOOKS			
		Wall Hook Alcoa / Sypla / Obimex	Wall Hook Alcoa / Sypla / Obimex
COLOUR		White	Black
MAX. CAPACITY		5 kg	5 kg
ARTICLE NO.		9.4522	9.4523

1 mm					
Twister 1 mm					

WALL HANGING - HOOK4WALL


for hanging and securing art on the wall

The Hook4Wall is a smart and reliable solution for hanging paintings and artworks directly on the wall.
The Hook4Wall is used when at the back of the painting or artwork, a ring screw is already attached.

Use two Hook4Wall units to securely mount a frame or painting. Placement on the wall depends on the position of the hanging accessory (such as a ring screw) on the back of the frame or painting.
The Hook4Wall includes a locking screw to ensure a safe, stable and secure installation.

What makes the Hook4Wall truly stand out is its combination of strength, safety, and flexibility. With its high weight capacity (50 kg per unit), it's perfect for even the heaviest frames. The design is adjustable, making it easy to align your artwork exactly as you want it. And thanks to the built-in anti-theft feature, you can trust that your pieces stay secure, whether in a gallery or in a public space.

HOOK4WALL (unit mounted on wall)




Hook4Wall 50 kg *

ARTICLE NO.

TS00011

* Hook4Wall can be used in combination with the Extender Junior M (TS21160).
Two units are required per painting, frame or art object.



MOUNTING TOOLS

necessary tools & bits

TOOLS



Flexible Bitholder

ARTICLE NO. TS9001

BITS



Secure Bit Junior M

ARTICLE NO. TS9007



Adjustment Bit Junior

TS9005



Adjustment Bit M / L

TS9002

Bits TS9007, TS9005 and TS9002 are always combined with the Flexible Bitholder, TS9001.

TOOLS



Assembly Tool Junior

ARTICLE NO.	TS9008	TS9008L
-------------	--------	---------

SIZE	10,5 cm	29,7 cm
------	---------	---------

Our Mounting Tools are designed to ensure secure installation and easy adjustment of our Track & Slide® and Track & Wire® systems. These high-quality tools offer the precision and reliability needed for both initial setup and ongoing modifications, whether in gallery settings or retail environments.

In addition to general mounting, these tools are essential for properly fixing the Sliders (TS00005, TS00006) within the Double Wall Track and the Heavy Duty Track. This guarantees optimal performance of the system, helping to maintain both the safety and aesthetic integrity of the hanging setup.

Using the right tools ensures that your system performs at its best. See next page for an overview of which mounting tool is applicable for which Track & Slide® product.

frame accessories

ARTITEQ BACK FRAME HANGING SYSTEM



The Back Frame Hanging System is available in 8 mm and 15 mm profiles, both in the versions alu mill finish and silver anodised.

BACK FRAME HANGING SYSTEM rail 8mm

		
05.16300	05.16301	05.16010
Back Frame Rail 8 mm 300 cm Alu Brute	Back Frame Rail 8 mm 300 cm Silver Anodised	Back Frame Power Corner 8 mm (set of 4)

BACK FRAME HANGING SYSTEM rail 15mm

		
05.17300	05.17301	05.17010
Back Frame Rail 15 mm 300 cm Alu Brute		

